


Second Quarter 2009

Vol. 7, No. 2



## HIV/AIDS Surveillance Program

**M. Beth Scalco, LCSW MPA***HIV/AIDS Program Administrative Director***Amy Zapata, MPH***HIV/AIDS Surveillance Program Manager*Editor/Production:**Jessica Fridge****William T. Robinson**Data Management and Analysis:**Debbie Wendell, Ph.D.**, *Coordinator***Jessica Fridge, MSPH**, *Surveillance Data Supervisor***Tania Bechtel**, *Data Manager***Joseph Foxhood**, *Information Systems Developer***George Stephens**, *Computer Technician***Josette Russell**, *Data Manager*Special Projects:**William T. Robinson, Ph.D.**, *Biostatistician***C. Greg Gaines, Ph.D.**, *Laboratory Surveillance Coordinator***Luke Cvitanovic, MS** *Incidence & Resistance Supervisor***Sam Ramirez, MPH**, *Epidemiologist/Incidence & Resistance Coordinator*Field Epidemiologists:**Betsy Shepard, PAC, MPH**, *Epidemiologist Supervisor***James Hubbard****Region 1****Cheryl Edney, BS MT(ASCP)****Regions 4, 5, 6****Connie Gordon****Regions 1, 3****Gayle Norris, MA****Regions 7, 8****Tanya Brown, RHIA****Region 2****Gale Terry, LPN****Regions 2, 9**

---

 TABLE OF CONTENTS

<b>Contents</b>	<b>Page</b>
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Region 1: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 2: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 3: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 4: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 5: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 6: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 7: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 8: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 9: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36

## Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of June 30, 2009<sup>1</sup>.

- As of June 30, 2009, a cumulative total of **29,241** HIV/AIDS cases have been reported in Louisiana, including **308** pediatric cases.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through June 30, 2009, is **12,237** including **100** deaths among pediatric cases.
- A total of **16,760** persons are living with HIV/AIDS in Louisiana; of these individuals, **8,904** persons (53%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by injection drug use.
- Nationally, Louisiana ranked **5<sup>th</sup>** highest in AIDS case rates and **11<sup>th</sup>** in the number of AIDS cases diagnosed in 2007, according to the CDC 2007 HIV/AIDS Surveillance Report (Vol. 19).
- New Orleans ranked **2<sup>nd</sup>** for AIDS case rates among the largest metropolitan areas in the U.S. in 2007; Baton Rouge ranked **3<sup>rd</sup>**.
- In 2008, **1,173** new HIV cases were diagnosed in Louisiana. Of these cases, **34%** (n=393) occurred in Region 1 (New Orleans) and **26%** (n=302) occurred in Region 2 (Baton Rouge).
- In 2008, **860** new AIDS cases were diagnosed in Louisiana. Of these cases, **32%** (n=275) occurred in Region 1 (New Orleans) and **29%** (n=246) occurred in Region 2 (Baton Rouge).
- In Louisiana, **33%** of new HIV cases and **34%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2008, **72%** of newly diagnosed HIV cases and **70%** of newly diagnosed AIDS cases were among African Americans.

<sup>1</sup>Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system and information on persons living with HIV/AIDS (PLWH/A) may not be accurate due to population changes resulting from Hurricane Katrina. In March 2006, the Louisiana Office of Public Health HIV/AIDS Program (OPH-HAP) published the Louisiana HIV/AIDS Surveillance First Quarter 2006 report. In addition to the HIV/AIDS surveillance information, as presented here, this report contained a description of two methodologies used to estimate the impact of Hurricane Katrina on the number of PLWH/A in the New Orleans metropolitan area (see <http://www.dhh.louisiana.gov/offices/publications/pubs-264/1st%20Quarter%202006.pdf> for the full report). Updated estimates were provided in the 2006 Third Quarter Report at: <http://www.dhh.louisiana.gov/offices/publications/pubs-264/Third%20Quarter%202006.pdf>. Additional updated population estimates were presented at the February 2007 Statewide HIV/AIDS Meeting. This presentation can be found at: <http://www.dhh.louisiana.gov/offices/page.asp?ID=264&Detail=7584>. Updated estimates were also presented in the 2005-2006 Annual Report located at <http://www.dhh.louisiana.gov/offices/reports.asp?ID=264&Detail=261>. More recent estimates indicate that as much as 84% of the pre-Katrina PLWH/A may now be living within the metropolitan area.

**Persons Living with HIV/AIDS  
Louisiana**

- **29,241** cumulative cases have been detected in Louisiana, including **308** pediatric cases.
- **12,237** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including **100** pediatric deaths.
- **16,760** persons are currently living with HIV/AIDS in Louisiana.  
Persons living with HIV: **7,856**  
Persons living with AIDS: **8,904**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	73	<1 %	Black, Non-Hispanic	7,032	4,078	11,110	66 %
13 - 19	156	1 %	White, Non-Hispanic	4,143	737	4,880	29 %
20 - 24	659	4 %	Hispanic	476	103	579	3 %
25 - 29	1,332	8 %	Asian/Pacific Islander	41	12	53	<1 %
30 - 34	1,812	11 %	American Indian	20	6	26	<1 %
35 - 39	2,119	13 %	Unknown	39	8	47	<1 %
40 - 44	2,688	16 %	Multi-race	46	19	65	<1 %
45 - 49	3,118	19 %	<b>Total</b>	<b>11,797</b>	<b>4,963</b>	<b>16,760</b>	<b>100 %</b>
50 - 54	2,292	14 %					
55 - 59	1,345	8 %					
60+	1,166	7 %					
<b>Total</b>	<b>16,760</b>	<b>100 %</b>					

Exposure Category

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	5,092	0	5,092	48 %
Injection drug use	1,145	662	1,807	17 %
Men who have sex with men and inject drugs	843	0	843	8 %
Heterosexual contact	835	1,780	2,615	25 %
Transfusion/Hemophilia	68	41	109	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	93	86	179	2 %
<b>Total</b>	<b>8,076</b>	<b>2,570</b>	<b>10,646</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>3,721</i>	<i>2,393</i>	<i>6,114</i>	

**Persons Living with AIDS  
Louisiana**

- **19,652** cumulative AIDS cases have been diagnosed in Louisiana, including **143** pediatric cases.
- **8,904** persons are currently living with AIDS in Louisiana.

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	9	<1 %
13 - 19	43	<1 %
20 - 24	154	2 %
25 - 29	428	5 %
30 - 34	759	9 %
35 - 39	1,068	12 %
40 - 44	1,577	18 %
45 - 49	1,880	21 %
50 - 54	1,401	16 %
55 - 59	853	10 %
60+	732	8 %
<b>Total</b>	<b>8904</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	3,831	1,931	5,762	65 %
White, Non-Hispanic	2,402	337	2,739	31 %
Hispanic	255	59	314	4 %
Asian/Pacific	18	6	24	<1 %
American Indian	9	3	12	<1 %
Unknown	9	2	11	<1 %
Multi-race	31	11	42	<1 %
<b>Total</b>	<b>6,555</b>	<b>2,349</b>	<b>8,904</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	2,921	0	2,921	47 %
Injection drug use	748	384	1,132	18 %
Men who have sex with men and inject drugs	561	0	561	9 %
Heterosexual contact	480	938	1,418	23 %
Transfusion/Hemophilia	48	26	74	1 %
Perinatal	25	28	53	1 %
<b>Total</b>	<b>4,783</b>	<b>1,376</b>	<b>6,159</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>1,772</i>	<i>973</i>	<i>2,745</i>	

**Persons Newly Diagnosed with HIV/AIDS  
Louisiana**

**HIV CASES DIAGNOSED January - December 2008**

• 1,173 persons were newly diagnosed with HIV in Louisiana.

<b>Gender</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	784	67 %	Black, Non-Hispanic	841	72 %
Women	389	33 %	White, Non-Hispanic	237	20 %
<b>Total</b>	<b>1,173</b>	<b>100 %</b>	Hispanic	68	6 %
			Asian/Pacific Islander	6	1 %
			American Indian	1	<1 %
			Unknown	10	1 %
			Multi-race	10	1 %
			<b>Total</b>	<b>1,173</b>	<b>100 %</b>

<b>Age at Detection</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	5	<1 %
13 - 24	246	21 %
25 - 34	348	30 %
35 - 44	256	22 %
45+	318	27 %
<b>Total</b>	<b>1,173</b>	<b>100 %</b>

<b>Cases with a reported risk:</b>	<b>Cases</b>	<b>Percent</b>
Men who have sex with men	325	61 %
Injection drug use	43	8 %
Men who have sex with men and inject drugs	9	2 %
Heterosexual contact	152	28 %
Perinatal	5	1 %
<b>Total</b>	<b>534</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>639</i>	

**AIDS CASES DIAGNOSED January - December 2008**

• 860 persons were newly diagnosed with AIDS in Louisiana.

<b>Gender</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	568	66 %	Black, Non-Hispanic	605	70 %
Women	292	34 %	White, Non-Hispanic	205	24 %
<b>Total</b>	<b>860</b>	<b>100 %</b>	Hispanic	40	5 %
			Asian/Pacific Islander	4	<1 %
			Unknown	2	<1 %
			Multi-race	4	<1 %
			<b>Total</b>	<b>860</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	1	<1 %
13 - 24	63	7 %
25 - 34	230	27 %
35 - 44	255	30 %
45+	311	36 %
<b>Total</b>	<b>860</b>	<b>100 %</b>

<b>Cases with a reported risk:</b>	<b>Cases</b>	<b>Percent</b>
Men who have sex with men	209	47 %
Injection drug use	79	18 %
Men who have sex with men and inject drugs	20	4 %
Heterosexual contact	132	30 %
Transfusion/Hemophilia	3	1 %
Perinatal	3	1 %
<b>Total</b>	<b>446</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>414</i>	

## Persons Living with HIV/AIDS

Second Quarter 2009

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	91	Sabine	22
Allen	233	St. Bernard	103
Ascension	158	St. Charles	80
Assumption	21	St. Helena	19
Avoyelles	174	St. James	58
Beauregard	33	St. John the Baptist	105
Bienville	30	St. Landry	232
Bossier	162	St. Martin	94
Caddo	905	St. Mary	73
Calcasieu	572	St. Tammany	326
Caldwell	50	Tangipahoa	265
Cameron	5	Tensas	35
Catahoula	24	Terrebonne	175
Claiborne	77	Union	42
Concordia	36	Vermilion	78
De Soto	58	Vernon	42
East Baton Rouge	3,139	Washington	164
East Carroll	41	Webster	47
East Feliciana	140	West Baton Rouge	110
Evangeline	58	West Carroll	10
Franklin	22	West Feliciana	147
Grant	27	Winn	92
Iberia	104		
Iberville	283		
Jackson	37		
Jefferson	1,535		
Jefferson Davis	51		
La Salle	13		
Lafayette	575		
Lafourche	100		
Lincoln	52		
Livingston	131		
Madison	53		
Morehouse	62		
Natchitoches	85		
Orleans	4,308		
Ouachita	476		
Plaquemines	31		
Pointe Coupee	44		
Rapides	399		
Red River	12		
Richland	34		
		<b>Total</b>	<b>16,760</b>

## Persons Living with AIDS

Second Quarter 2009

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	51	Sabine	17
Allen	113	St. Bernard	58
Ascension	83	St. Charles	42
Assumption	15	St. Helena	9
Avoyelles	93	St. James	28
Beauregard	19	St. John the Baptist	63
Bienville	14	St. Landry	134
Bossier	91	St. Martin	51
Caddo	500	St. Mary	47
Calcasieu	328	St. Tammany	189
Caldwell	21	Tangipahoa	148
Cameron	3	Tensas	18
Catahoula	14	Terrebonne	97
Claiborne	45	Union	27
Concordia	21	Vermilion	48
De Soto	36	Vernon	22
East Baton Rouge	1,584	Washington	91
East Carroll	25	Webster	22
East Feliciana	80	West Baton Rouge	66
Evangeline	33	West Carroll	6
Franklin	10	West Feliciana	92
Grant	16	Winn	47
Iberia	56		
Iberville	152		
Jackson	19		
Jefferson	829		
Jefferson Davis	26		
La Salle	9		
Lafayette	289		
Lafourche	61		
Lincoln	25		
Livingston	72		
Madison	24		
Morehouse	26		
Natchitoches	45		
Orleans	2,229		
Ouachita	251		
Plaquemines	21		
Pointe Coupee	30		
Rapides	193		
Red River	9		
Richland	21		
		<b>Total</b>	<b>8,904</b>

**Persons Living with HIV/AIDS**

**Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles Parishes

- **14,057** cumulative cases have been detected in the New Orleans MSA, including **148** pediatric cases.
- **5,952** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including **50** pediatric deaths
- **6,546** persons are currently living with HIV/AIDS in the New Orleans MSA.  
 Persons living with HIV: **3,087**  
 Persons living with AIDS: **3,459**

Age Category

Current Age	Cases	Percent
0 - 12	25	<1 %
13 - 19	48	1 %
20 - 24	222	3 %
25 - 29	428	7 %
30 - 34	624	10 %
35 - 39	802	12 %
40 - 44	1,039	16 %
45 - 49	1,271	19 %
50 - 54	943	14 %
55 - 59	594	9 %
60+	550	8 %
<b>Total</b>	<b>6,546</b>	<b>100 %</b>

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,420	1,360	3,780	58 %
White, Non-Hispanic	2,112	240	2,352	36 %
Hispanic	246	75	321	5 %
Asian/Pacific Islander	28	8	36	1 %
American Indian	6	1	7	<1 %
Unknown	23	4	27	<1 %
Multi-race	17	6	23	<1 %
<b>Total</b>	<b>4,852</b>	<b>1,694</b>	<b>6,546</b>	<b>100 %</b>

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,402	0	2,402	57 %
Injection drug use	348	225	573	14 %
Men who have sex with men and inject drugs	320	0	320	8 %
Heterosexual contact	237	575	812	19 %
Transfusion/Hemophilia	29	19	48	1 %
Perinatal	28	33	61	1 %
<b>Total</b>	<b>3,364</b>	<b>852</b>	<b>4,216</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>1,488</i>	<i>842</i>	<i>2,330</i>	

**Persons Living with AIDS****Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles Parishes

- **9,595** cumulative AIDS cases have been diagnosed in the New Orleans MSA, including **71** pediatric cases.
- **3,459** persons are currently living with AIDS in the New Orleans MSA.

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>	<b><u>Race/Ethnicity</u></b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
0 - 12	4	<1 %	Black, Non-Hispanic	1,265	660	1,925	56 %
13 - 19	15	<1 %	White, Non-Hispanic	1,195	100	1,295	37 %
20 - 24	43	1 %	Hispanic	148	46	194	6 %
25 - 29	134	4 %	Asian/Pacific Islander	11	4	15	<1 %
30 - 34	242	7 %	American Indian	3	1	4	<1 %
35 - 39	384	11 %	Unknown	8	2	10	<1 %
40 - 44	582	17 %	Multi-race	12	4	16	<1 %
45 - 49	775	22 %	<b>Total</b>	2,642	817	3,459	100 %
50 - 54	572	17 %					
55 - 59	364	11 %					
60+	344	10 %					
<b>Total</b>	3,459	100 %					

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	1,365	0	1,365	56 %
Injection drug use	214	129	343	14 %
Men who have sex with men and inject drugs	207	0	207	9 %
Heterosexual contact	147	314	461	19 %
Transfusion/Hemophilia	20	10	30	1 %
Perinatal	9	12	21	1 %
<b>Total</b>	1,962	465	2,427	100 %
<i>No Identified Risk</i>	<i>680</i>	<i>352</i>	<i>1,032</i>	

**Persons Newly Diagnosed with HIV/AIDS****Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, and St. Charles Parishes

**HIV CASES DIAGNOSED January - December 2008**

- 428 persons were newly diagnosed with HIV in the New Orleans MSA.

<b><u>Gender</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Race/Ethnicity</u></b>	<b>Cases</b>	<b>Percent</b>
Men	301	70 %	Black, Non-Hispanic	273	64 %
Women	127	30 %	White, Non-Hispanic	101	24 %
<b>Total</b>	<b>428</b>	<b>100 %</b>	Hispanic	39	9 %
			Asian/Pacific Islander	4	1 %
			Unknown	5	1 %
			Multi-race	6	1 %
			<b>Total</b>	<b>428</b>	<b>100 %</b>

<b><u>Age at Detection</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Cases with a reported risk:</u></b>	<b>Cases</b>	<b>Percent</b>
0 - 12	3	1 %	Men who have sex with men	143	67 %
13 - 24	90	21 %	Injection drug use	18	8 %
25 - 34	132	31 %	Men who have sex with men and inject drugs	4	2 %
35 - 44	97	23 %	Heterosexual contact	45	21 %
45+	106	25 %	Perinatal	3	1 %
<b>Total</b>	<b>428</b>	<b>100 %</b>	<b>Total</b>	<b>213</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>215</i>	

**AIDS CASES DIAGNOSED January - December 2008**

- 293 persons were newly diagnosed with AIDS in the New Orleans MSA.

<b><u>Gender</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Race/Ethnicity</u></b>	<b>Cases</b>	<b>Percent</b>
Men	203	69 %	Black, Non-Hispanic	184	63 %
Women	90	31 %	White, Non-Hispanic	79	27 %
<b>Total</b>	<b>293</b>	<b>100 %</b>	Hispanic	27	9 %
			Asian/Pacific Islander	1	<1 %
			Unknown	2	1 %
			<b>Total</b>	<b>293</b>	<b>100 %</b>

<b><u>Age at Diagnosis</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Cases with a reported risk:</u></b>	<b>Cases</b>	<b>Percent</b>
0 - 12	1	<1 %	Men who have sex with men	79	51 %
13 - 24	18	6 %	Injection drug use	23	15 %
25 - 34	78	27 %	Men who have sex with men and inject drugs	7	4 %
35 - 44	88	30 %	Heterosexual contact	45	29 %
45+	108	37 %	Transfusion/Hemophilia	1	1 %
<b>Total</b>	<b>293</b>	<b>100 %</b>	Perinatal	1	1 %
			<b>Total</b>	<b>156</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>137</i>	

**Persons Living with HIV/AIDS**

**Region 1: New Orleans Region**

- **13,248** cumulative cases have been detected in Region 1, including **132** pediatric cases.
- **5,601** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including **46** pediatric deaths.
- **5,977** persons are currently living with HIV/AIDS in Region 1.  
 Persons living with HIV: **2,840**  
 Persons living with AIDS: **3,137**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	17	<1 %	Black, Non-Hispanic	2,262	1,255	3,517	59 %
13 - 19	43	1 %	White, Non-Hispanic	1,877	190	2,067	35 %
20 - 24	201	3 %	Hispanic	233	72	305	5 %
25 - 29	387	6 %	Asian/Pacific Islander	27	8	35	1 %
30 - 34	577	10 %	American Indian	6	1	7	<1 %
35 - 39	715	12 %	Unknown	22	4	26	<1 %
40 - 44	946	16 %	Multi-race	14	6	20	<1 %
45 - 49	1,159	19 %	<b>Total</b>	<b>4,441</b>	<b>1,536</b>	<b>5,977</b>	<b>100 %</b>
50 - 54	872	15 %					
55 - 59	554	9 %					
60+	506	8 %					
<b>Total</b>	<b>5,977</b>	<b>100 %</b>					

**Exposure Category**

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	2,195	0	2,195	57 %
Injection drug use	317	207	524	14 %
Men who have sex with men and inject drugs	303	0	303	8 %
Heterosexual contact	208	519	727	19 %
Transfusion/Hemophilia	26	18	44	1 %
Perinatal	21	24	45	1 %
<b>Total</b>	<b>3,070</b>	<b>768</b>	<b>3,838</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>1,371</i>	<i>768</i>	<i>2,139</i>	

**Persons Living with AIDS  
Region 1: New Orleans Region**

- **9,020** cumulative AIDS cases have been diagnosed in Region 1, including **63** pediatric cases.
- **3,137** persons are currently living with AIDS in Region 1.

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	4	<1 %
13 - 19	11	<1 %
20 - 24	40	1 %
25 - 29	122	4 %
30 - 34	220	7 %
35 - 39	337	11 %
40 - 44	524	17 %
45 - 49	703	22 %
50 - 54	526	17 %
55 - 59	337	11 %
60+	313	10 %
<b>Total</b>	<b>3,137</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	1,166	608	1,774	57 %
White, Non-Hispanic	1,057	77	1,134	36 %
Hispanic	141	45	186	6 %
Asian/Pacific Islander	11	4	15	<1 %
American Indian	3	1	4	<1 %
Unknown	8	2	10	<1 %
Multi-race	10	4	14	<1 %
<b>Total</b>	<b>2,396</b>	<b>741</b>	<b>3,137</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	1,247	0	1,247	57 %
Injection drug use	193	117	310	14 %
Men who have sex with men and inject drugs	193	0	193	9 %
Heterosexual contact	126	283	409	19 %
Transfusion/Hemophilia	17	9	26	1 %
Perinatal	6	9	15	1 %
<b>Total</b>	<b>1,782</b>	<b>418</b>	<b>2,200</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>614</i>	<i>323</i>	<i>937</i>	

## Persons Newly Diagnosed with HIV/AIDS

## Region 1: New Orleans Region

HIV CASES DIAGNOSED January - December 2008

• 393 persons were newly diagnosed with HIV in Region 1.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	279	71 %	Black, Non-Hispanic	254	65 %
Women	114	29 %	White, Non-Hispanic	88	22 %
<b>Total</b>	<b>393</b>	<b>100 %</b>	Hispanic	37	9 %
			Asian/Pacific Islander	4	1 %
			Unknown	4	1 %
			Multi-race	6	2 %
			<b>Total</b>	<b>393</b>	<b>100 %</b>

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	2	1 %	Men who have sex with men	133	67 %
13 - 24	84	21 %	Injection drug use	16	8 %
25 - 34	120	31 %	Men who have sex with men and inject drugs	3	2 %
35 - 44	85	22 %	Heterosexual contact	45	23 %
45+	102	26 %	Perinatal	2	1 %
<b>Total</b>	<b>393</b>	<b>100 %</b>	<b>Total</b>	<b>199</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>194</i>	

AIDS CASES DIAGNOSED January - December 2008

• 275 persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	190	69 %	Black, Non-Hispanic	173	63 %
Women	85	31 %	White, Non-Hispanic	73	27 %
<b>Total</b>	<b>275</b>	<b>100 %</b>	Hispanic	26	9 %
			Asian/Pacific Islander	1	<1 %
			Unknown	2	1 %
			<b>Total</b>	<b>275</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	75	51 %
13 - 24	17	6 %	Injection drug use	21	14 %
25 - 34	72	26 %	Men who have sex with men and inject drugs	6	4 %
35 - 44	81	29 %	Heterosexual contact	44	30 %
45+	104	38 %	Transfusion/Hemophilia	1	1 %
<b>Total</b>	<b>275</b>	<b>100 %</b>	Perinatal	1	1 %
			<b>Total</b>	<b>148</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>127</i>	

**Persons Living with HIV/AIDS  
Region 2: Baton Rouge Region**

- **6,326** cumulative cases have been detected in Region 2, including **64** pediatric cases.
- **2,646** cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including **15** pediatric deaths.
- **4,021** persons are currently living with HIV/AIDS in Region 2.  
Persons living with HIV: **1,934**  
Persons living with AIDS: **2,087**

<u>Age Category</u>			<u>Race/Ethnicity</u>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>					
0 - 12	24	1 %	Black, Non-Hispanic	1,946	1,403	3,349	83 %
13 - 19	44	1 %	White, Non-Hispanic	494	111	605	15 %
20 - 24	194	5 %	Hispanic	32	11	43	1 %
25 - 29	380	9 %	Asian/Pacific Islander	3	1	4	<1 %
30 - 34	494	12 %	American Indian	2	0	2	<1 %
35 - 39	525	13 %	Unknown	7	1	8	<1 %
40 - 44	591	15 %	Multi-race	7	3	10	<1 %
45 - 49	703	17 %	<b>Total</b>	<b>2,491</b>	<b>1,530</b>	<b>4,021</b>	<b>100 %</b>
50 - 54	509	13 %					
55 - 59	301	7 %					
60+	256	6 %					
<b>Total</b>	<b>4,021</b>	<b>100 %</b>					

Exposure Category

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	789	0	789	34 %
Injection drug use	366	217	583	25 %
Men who have sex with men and inject drugs	162	0	162	7 %
Heterosexual contact	220	502	722	31 %
Transfusion/Hemophilia	9	11	20	1 %
Perinatal	28	21	49	2 %
<b>Total</b>	<b>1,574</b>	<b>751</b>	<b>2,325</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>917</i>	<i>779</i>	<i>1,696</i>	

**Persons Living with AIDS**  
**Region 2: Baton Rouge Region**

- **4,196** cumulative AIDS cases have been diagnosed in Region 2, including **22** pediatric cases.
- **2,087** persons are currently living with AIDS in Region 2.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	14	1 %	Black, Non-Hispanic	1,065	664	1,729	83 %
20 - 24	51	2 %	White, Non-Hispanic	275	48	323	15 %
25 - 29	123	6 %	Hispanic	17	6	23	1 %
30 - 34	207	10 %	Asian/Pacific Islander	2	0	2	<1 %
35 - 39	268	13 %	American Indian	2	0	2	<1 %
40 - 44	346	17 %	Unknown	1	0	1	<1 %
45 - 49	418	20 %	Multi-race	6	1	7	<1 %
50 - 54	306	15 %	<b>Total</b>	1,368	719	2,087	100 %
55 - 59	192	9 %					
60+	162	8 %					
<b>Total</b>	2,087	100 %					

Exposure Category

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	435	0	435	33 %
Injection drug use	256	124	380	28 %
Men who have sex with men and inject drugs	112	0	112	8 %
Heterosexual contact	117	268	385	29 %
Transfusion/Hemophilia	5	8	13	1 %
Perinatal	6	4	10	1 %
<b>Total</b>	931	404	1,335	100 %
<i>No Identified Risk</i>	437	315	752	

## Persons Newly Diagnosed with HIV/AIDS

## Region 2: Baton Rouge Region

HIV CASES DIAGNOSED January - December 2008

- 302 persons were newly diagnosed with HIV in Region 2.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	175	58 %	Black, Non-Hispanic	266	88 %
Women	127	42 %	White, Non-Hispanic	28	9 %
<b>Total</b>	<b>302</b>	<b>100 %</b>	Hispanic	4	1 %
			Unknown	2	1 %
			Multi-race	2	1 %
			<b>Total</b>	<b>302</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	1 %	Men who have sex with men	65	50 %
13 - 24	71	24 %	Injection drug use	12	9 %
25 - 34	90	30 %	Men who have sex with men and inject drugs	1	1 %
35 - 44	62	21 %	Heterosexual contact	49	38 %
45+	77	25 %	Perinatal	2	2 %
<b>Total</b>	<b>302</b>	<b>100 %</b>	<b>Total</b>	<b>129</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>173</i>	

AIDS CASES DIAGNOSED January - December 2008

- 246 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	140	57 %	Black, Non-Hispanic	210	85 %
Women	106	43 %	White, Non-Hispanic	32	13 %
<b>Total</b>	<b>246</b>	<b>100 %</b>	Hispanic	3	1 %
			Multi-race	1	<1 %
			<b>Total</b>	<b>246</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	29	12 %	Men who have sex with men	40	33 %
25 - 34	59	24 %	Injection drug use	29	24 %
35 - 44	67	27 %	Men who have sex with men and inject drugs	6	5 %
45+	91	37 %	Heterosexual contact	47	39 %
<b>Total</b>	<b>246</b>	<b>100 %</b>	<b>Total</b>	<b>122</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>124</i>	

**Persons Living with HIV/AIDS**

**Region 3: Houma Region**

- **919** cumulative cases have been detected in Region 3, including **17** pediatric cases.
- **433** cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including **7** pediatric deaths.
- **612** persons are currently living with HIV/AIDS in Region 3.  
 Persons living with HIV: **259**  
 Persons living with AIDS: **353**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	5	1 %	Black, Non-Hispanic	205	140	345	56 %
13 - 19	5	1 %	White, Non-Hispanic	198	40	238	39 %
20 - 24	29	5 %	Hispanic	12	5	17	3 %
25 - 29	59	10 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	64	10 %	American Indian	2	2	4	1 %
35 - 39	78	13 %	Unknown	2	1	3	<1 %
40 - 44	101	17 %	Multi-race	2	1	3	<1 %
45 - 49	112	18 %	<b>Total</b>	<b>422</b>	<b>190</b>	<b>612</b>	<b>100 %</b>
50 - 54	72	12 %					
55 - 59	46	8 %					
60+	41	7 %					
<b>Total</b>	<b>612</b>	<b>100 %</b>					

Exposure Category

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	211	0	211	51 %
Injection drug use	40	22	62	15 %
Men who have sex with men and inject drugs	14	0	14	3 %
Heterosexual contact	33	77	110	27 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	6	7	13	3 %
<b>Total</b>	<b>304</b>	<b>107</b>	<b>411</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>118</i>	<i>83</i>	<i>201</i>	

**Persons Living with AIDS**

**Region 3: Houma Region**

- **675** cumulative AIDS cases have been diagnosed in Region 3, including **9** pediatric cases.
- **353** persons are currently living with AIDS in Region 3.

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
13 - 19	3	1 %
20 - 24	7	2 %
25 - 29	22	6 %
30 - 34	28	8 %
35 - 39	39	11 %
40 - 44	66	19 %
45 - 49	70	20 %
50 - 54	55	16 %
55 - 59	34	10 %
60+	29	8 %
<b>Total</b>	<b>353</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	131	74	205	58 %
White, Non-Hispanic	110	21	131	37 %
Hispanic	8	2	10	3 %
Asian/Pacific Islander	0	1	1	<1 %
American Indian	1	2	3	1 %
Multi-race	2	1	3	1 %
<b>Total</b>	<b>252</b>	<b>101</b>	<b>353</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	130	0	130	53 %
Injection drug use	25	15	40	16 %
Men who have sex with men and inject drugs	8	0	8	3 %
Heterosexual contact	22	40	62	25 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	2	3	5	2 %
<b>Total</b>	<b>187</b>	<b>59</b>	<b>246</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>65</i>	<i>42</i>	<i>107</i>	

**Persons Newly Diagnosed with HIV/AIDS**

**Region 3: Houma Region**

**HIV CASES DIAGNOSED January - December 2008**

• 46 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	28	61 %	Black, Non-Hispanic	27	59 %
Women	18	39 %	White, Non-Hispanic	13	28 %
<b>Total</b>	<b>46</b>	<b>100 %</b>	Hispanic	3	7 %
			Asian/Pacific Islander	1	2 %
			Unknown	2	4 %
			<b>Total</b>	<b>46</b>	<b>100 %</b>

<u>Age at Detection</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk:</u>	<b>Cases</b>	<b>Percent</b>
13 - 24	10	22 %	Men who have sex with men	10	62 %
25 - 34	16	35 %	Injection drug use	2	12 %
35 - 44	12	26 %	Heterosexual contact	4	25 %
45+	8	17 %	<b>Total</b>	<b>16</b>	<b>100 %</b>
<b>Total</b>	<b>46</b>	<b>100 %</b>	<i>No Identified Risk</i>	<i>30</i>	

**AIDS CASES DIAGNOSED January - December 2008**

• 32 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	22	69 %	Black, Non-Hispanic	17	53 %
Women	10	31 %	White, Non-Hispanic	12	38 %
<b>Total</b>	<b>32</b>	<b>100 %</b>	Hispanic	1	3 %
			Asian/Pacific Islander	1	3 %
			Multi-race	1	3 %
			<b>Total</b>	<b>32</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk:</u>	<b>Cases</b>	<b>Percent</b>
13 - 24	5	16 %	Men who have sex with men	8	53 %
25 - 34	6	19 %	Injection drug use	5	33 %
35 - 44	10	31 %	Heterosexual contact	2	13 %
45+	11	34 %	<b>Total</b>	<b>15</b>	<b>100 %</b>
<b>Total</b>	<b>32</b>	<b>100 %</b>	<i>No Identified Risk</i>	<i>17</i>	

**Persons Living with HIV/AIDS**

**Region 4: Lafayette Region**

- **1,816** cumulative cases have been detected in Region 4, including **16** pediatric cases.
- **809** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including **9** pediatric deaths.
- **1,232** persons are currently living with HIV/AIDS in Region 4.  
 Persons living with HIV: **570**  
 Persons living with AIDS: **662**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	473	223	696	56 %
13 - 19	8	1 %	White, Non-Hispanic	392	81	473	38 %
20 - 24	34	3 %	Hispanic	45	2	47	4 %
25 - 29	101	8 %	Asian/Pacific Islander	0	2	2	<1 %
30 - 34	109	9 %	American Indian	1	1	2	<1 %
35 - 39	132	11 %	Unknown	2	0	2	<1 %
40 - 44	230	19 %	Multi-race	7	3	10	1 %
45 - 49	265	22 %	<b>Total</b>	920	312	1,232	100 %
50 - 54	177	14 %					
55 - 59	102	8 %					
60+	71	6 %					
<b>Total</b>	1,232	100 %					

Exposure Category

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	371	0	371	51 %
Injection drug use	74	32	106	15 %
Men who have sex with men and inject drugs	45	0	45	6 %
Heterosexual contact	56	129	185	25 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	6	6	12	2 %
<b>Total</b>	557	169	726	100 %
<i>No Identified Risk</i>	363	143	506	

**Persons Living with AIDS  
Region 4: Lafayette Region**

- **1,202** cumulative AIDS cases have been diagnosed in Region 4, including **9** pediatric cases.
- **662** persons are currently living with AIDS in Region 4.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	254	114	368	56 %
13 - 19	1	<1 %	White, Non-Hispanic	236	33	269	41 %
20 - 24	6	1 %	Hispanic	18	0	18	3 %
25 - 29	35	5 %	Asian/Pacific Islander	0	1	1	<1 %
30 - 34	57	9 %	Multi-race	4	2	6	1 %
35 - 39	66	10 %	<b>Total</b>	512	150	662	100 %
40 - 44	133	20 %					
45 - 49	154	23 %					
50 - 54	105	16 %					
55 - 59	64	10 %					
60+	40	6 %					
<b>Total</b>	662	100 %					

<u>Exposure Category</u>				
Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	232	0	232	53 %
Injection drug use	52	16	68	16 %
Men who have sex with men and inject drugs	31	0	31	7 %
Heterosexual contact	31	67	98	22 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	0	3	3	1 %
<b>Total</b>	349	87	436	100 %
<i>No Identified Risk</i>	163	63	226	

**Persons Newly Diagnosed with HIV/AIDS**

**Region 4: Lafayette Region**

**HIV CASES DIAGNOSED January - December 2008**

• 78 persons were newly diagnosed with HIV in Region 4.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	56	72 %	Black, Non-Hispanic	50	64 %
Women	22	28 %	White, Non-Hispanic	22	28 %
<b>Total</b>	<b>78</b>	<b>100 %</b>	Hispanic	5	6 %
			Multi-race	1	1 %
			<b>Total</b>	<b>78</b>	<b>100 %</b>

<u>Age at Detection</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk:</u>	<b>Cases</b>	<b>Percent</b>
13 - 24	13	17 %	Men who have sex with men	11	44 %
25 - 34	15	19 %	Injection drug use	4	16 %
35 - 44	16	21 %	Heterosexual contact	10	40 %
45+	34	44 %	<b>Total</b>	<b>25</b>	<b>100 %</b>
<b>Total</b>	<b>78</b>	<b>100 %</b>	<i>No Identified Risk</i>	<b>53</b>	

**AIDS CASES DIAGNOSED January - December 2008**

• 64 persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	46	72 %	Black, Non-Hispanic	40	62 %
Women	18	28 %	White, Non-Hispanic	22	34 %
<b>Total</b>	<b>64</b>	<b>100 %</b>	Hispanic	1	2 %
			Asian/Pacific Islander	1	2 %
			<b>Total</b>	<b>64</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk:</u>	<b>Cases</b>	<b>Percent</b>
13 - 24	3	5 %	Men who have sex with men	16	59 %
25 - 34	20	31 %	Injection drug use	3	11 %
35 - 44	20	31 %	Men who have sex with men and inject drugs	1	4 %
45+	21	33 %	Heterosexual contact	7	26 %
<b>Total</b>	<b>64</b>	<b>100 %</b>	<b>Total</b>	<b>27</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<b>37</b>	

**Persons Living with HIV/AIDS  
Region 5: Lake Charles Region**

- **1,165** cumulative cases have been detected in Region 5, including **9** pediatric cases.
- **431** cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including **1** pediatric deaths.
- **894** persons are currently living with HIV/AIDS in Region 5.  
Persons living with HIV: **405**  
Persons living with AIDS: **489**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	384	137	521	58 %
13 - 19	14	2 %	White, Non-Hispanic	221	60	281	31 %
20 - 24	34	4 %	Hispanic	79	1	80	9 %
25 - 29	58	6 %	Asian/Pacific Islander	4	0	4	<1 %
30 - 34	94	11 %	American Indian	2	1	3	<1 %
35 - 39	115	13 %	Multi-race	3	2	5	1 %
40 - 44	172	19 %	<b>Total</b>	693	201	894	100 %
45 - 49	176	20 %					
50 - 54	123	14 %					
55 - 59	53	6 %					
60+	52	6 %					
<b>Total</b>	894	100 %					

Exposure Category

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	255	0	255	42 %
Injection drug use	93	29	122	20 %
Men who have sex with men and inject drugs	71	0	71	12 %
Heterosexual contact	73	77	150	24 %
Transfusion/Hemophilia	5	1	6	1 %
Perinatal	4	5	9	1 %
<b>Total</b>	501	112	613	100 %
<i>No Identified Risk</i>	192	89	281	

**Persons Living with AIDS**  
**Region 5: Lake Charles Region**

- **798** cumulative AIDS cases have been diagnosed in Region 5, including **5** pediatric cases.
- **489** persons are currently living with AIDS in Region 5.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	215	61	276	56 %
13 - 19	5	1 %	White, Non-Hispanic	140	34	174	36 %
20 - 24	11	2 %	Hispanic	35	0	35	7 %
25 - 29	23	5 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	39	8 %	Multi-race	1	1	2	<1 %
35 - 39	59	12 %	<b>Total</b>	393	96	489	100 %
40 - 44	113	23 %					
45 - 49	107	22 %					
50 - 54	64	13 %					
55 - 59	35	7 %					
60+	32	7 %					
<b>Total</b>	489	100 %					

**Exposure Category**

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	164	0	164	44 %
Injection drug use	58	20	78	21 %
Men who have sex with men and inject drugs	45	0	45	12 %
Heterosexual contact	34	41	75	20 %
Transfusion/Hemophilia	4	1	5	1 %
Perinatal	2	2	4	1 %
<b>Total</b>	307	64	371	100 %
<i>No Identified Risk</i>	86	32	118	

## Persons Newly Diagnosed with HIV/AIDS

## Region 5: Lake Charles Region

HIV CASES DIAGNOSED January - December 2008

• 63 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	45	71 %	Black, Non-Hispanic	34	54 %
Women	18	29 %	White, Non-Hispanic	24	38 %
<b>Total</b>	<b>63</b>	<b>100 %</b>	Hispanic	4	6 %
			American Indian	1	2 %
			<b>Total</b>	<b>63</b>	<b>100 %</b>

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	14	22 %	Men who have sex with men	16	70 %
25 - 34	15	24 %	Injection drug use	2	9 %
35 - 44	18	29 %	Men who have sex with men and inject drugs	1	4 %
45+	16	25 %	Heterosexual contact	4	17 %
<b>Total</b>	<b>63</b>	<b>100 %</b>	<b>Total</b>	<b>23</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>40</i>	

AIDS CASES DIAGNOSED January - December 2008

• 40 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	26	65 %	Black, Non-Hispanic	25	62 %
Women	14	35 %	White, Non-Hispanic	13	32 %
<b>Total</b>	<b>40</b>	<b>100 %</b>	Hispanic	2	5 %
			<b>Total</b>	<b>40</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	4	10 %	Men who have sex with men	10	48 %
25 - 34	13	32 %	Injection drug use	3	14 %
35 - 44	11	28 %	Men who have sex with men and inject drugs	1	5 %
45+	12	30 %	Heterosexual contact	6	29 %
<b>Total</b>	<b>40</b>	<b>100 %</b>	Perinatal	1	5 %
			<b>Total</b>	<b>21</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>19</i>	

**Persons Living with HIV/AIDS**

**Region 6: Alexandria Region**

- **1,201** cumulative cases have been detected in Region 6, including **13** pediatric cases.
- **426** cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **807** persons are currently living with HIV/AIDS in Region 6.  
 Persons living with HIV: **392**  
 Persons living with AIDS: **415**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	2	<1 %	Black, Non-Hispanic	382	184	566	70 %
13 - 19	4	<1 %	White, Non-Hispanic	147	50	197	24 %
20 - 24	23	3 %	Hispanic	33	2	35	4 %
25 - 29	73	9 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	104	13 %	American Indian	0	1	1	<1 %
35 - 39	112	14 %	Unknown	0	1	1	<1 %
40 - 44	131	16 %	Multi-race	5	0	5	1 %
45 - 49	138	17 %	<b>Total</b>	569	238	807	100 %
50 - 54	120	15 %					
55 - 59	58	7 %					
60+	42	5 %					
<b>Total</b>	807	100 %					

Exposure Category

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	190	0	190	36 %
Injection drug use	73	33	106	20 %
Men who have sex with men and inject drugs	54	0	54	10 %
Heterosexual contact	63	100	163	31 %
Transfusion/Hemophilia	9	1	10	2 %
Perinatal	4	2	6	1 %
<b>Total</b>	393	136	529	100 %
<i>No Identified Risk</i>	176	102	278	

**Persons Living with AIDS**  
**Region 6: Alexandria Region**

- **743** cumulative AIDS cases have been diagnosed in Region 6, including **4** pediatric cases.
- **415** persons are currently living with AIDS in Region 6.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	1	<1 %	Black, Non-Hispanic	196	77	273	66 %
20 - 24	4	1 %	White, Non-Hispanic	96	30	126	30 %
25 - 29	23	6 %	Hispanic	12	0	12	3 %
30 - 34	42	10 %	Asian/Pacific Islander	1	0	1	<1 %
35 - 39	56	13 %	Multi-race	3	0	3	1 %
40 - 44	80	19 %	<b>Total</b>	<b>308</b>	<b>107</b>	<b>415</b>	<b>100 %</b>
45 - 49	77	19 %					
50 - 54	70	17 %					
55 - 59	37	9 %					
60+	25	6 %					
<b>Total</b>	<b>415</b>	<b>100 %</b>					

Exposure Category

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	96	0	96	33 %
Injection drug use	39	21	60	21 %
Men who have sex with men and inject drugs	41	0	41	14 %
Heterosexual contact	33	49	82	28 %
Transfusion/Hemophilia	7	0	7	2 %
Perinatal	1	1	2	1 %
<b>Total</b>	<b>217</b>	<b>71</b>	<b>288</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>91</i>	<i>36</i>	<i>127</i>	

**Persons Newly Diagnosed with HIV/AIDS**

**Region 6: Alexandria Region**

**HIV CASES DIAGNOSED January - December 2008**

• 48 persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	35	73 %	Black, Non-Hispanic	27	56 %
Women	13	27 %	White, Non-Hispanic	11	23 %
<b>Total</b>	<b>48</b>	<b>100 %</b>	Hispanic	9	19 %
			Multi-race	1	2 %
			<b>Total</b>	<b>48</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	11	23 %	Men who have sex with men	13	62 %
25 - 34	17	35 %	Injection drug use	1	5 %
35 - 44	8	17 %	Men who have sex with men and inject drugs	2	10 %
45+	12	25 %	Heterosexual contact	5	24 %
<b>Total</b>	<b>48</b>	<b>100 %</b>	<b>Total</b>	<b>21</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>27</i>	

**AIDS CASES DIAGNOSED January - December 2008**

• 37 persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	27	73 %	Black, Non-Hispanic	25	68 %
Women	10	27 %	White, Non-Hispanic	8	22 %
<b>Total</b>	<b>37</b>	<b>100 %</b>	Hispanic	3	8 %
			Multi-race	1	3 %
			<b>Total</b>	<b>37</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
25 - 34	13	35 %	Men who have sex with men	6	29 %
35 - 44	12	32 %	Injection drug use	7	33 %
45+	12	32 %	Men who have sex with men and inject drugs	2	10 %
<b>Total</b>	<b>37</b>	<b>100 %</b>	Heterosexual contact	5	24 %
			Transfusion/Hemophilia	1	5 %
			<b>Total</b>	<b>21</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>16</i>	

**Persons Living with HIV/AIDS**

**Region 7: Shreveport Region**

- **1,905** cumulative cases have been detected in Region 7, including **27** pediatric cases.
- **816** cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including **10** pediatric deaths.
- **1,398** persons are currently living with HIV/AIDS in Region 7.  
 Persons living with HIV: **619**  
 Persons living with AIDS: **779**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	5	<1 %	Black, Non-Hispanic	669	305	974	70 %
13 - 19	20	1 %	White, Non-Hispanic	319	73	392	28 %
20 - 24	77	6 %	Hispanic	16	5	21	2 %
25 - 29	123	9 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	168	12 %	American Indian	5	0	5	<1 %
35 - 39	190	14 %	Unknown	2	0	2	<1 %
40 - 44	228	16 %	Multi-race	2	1	3	<1 %
45 - 49	246	18 %	<b>Total</b>	<b>1,014</b>	<b>384</b>	<b>1,398</b>	<b>100 %</b>
50 - 54	168	12 %					
55 - 59	93	7 %					
60+	80	6 %					
<b>Total</b>	<b>1,398</b>	<b>100 %</b>					

Exposure Category

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	496	0	496	51 %
Injection drug use	73	45	118	12 %
Men who have sex with men and inject drugs	108	0	108	11 %
Heterosexual contact	80	148	228	23 %
Transfusion/Hemophilia	4	4	8	1 %
Perinatal	9	7	16	2 %
<b>Total</b>	<b>770</b>	<b>204</b>	<b>974</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>244</i>	<i>180</i>	<i>424</i>	

**Persons Living with AIDS**  
**Region 7: Shreveport Region**

- **1,266** cumulative AIDS cases have been diagnosed in Region 7, including **18** pediatric cases.
- **779** persons are currently living with AIDS in Region 7.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	2	<1 %	Black, Non-Hispanic	404	143	547	70 %
13 - 19	6	1 %	White, Non-Hispanic	183	31	214	27 %
20 - 24	18	2 %	Hispanic	11	3	14	2 %
25 - 29	35	4 %	American Indian	2	0	2	<1 %
30 - 34	74	9 %	Multi-race	1	1	2	<1 %
35 - 39	111	14 %	<b>Total</b>	601	178	779	100 %
40 - 44	140	18 %					
45 - 49	161	21 %					
50 - 54	118	15 %					
55 - 59	67	9 %					
60+	47	6 %					
<b>Total</b>	779	100 %					

**Exposure Category**

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	288	0	288	49 %
Injection drug use	50	24	74	13 %
Men who have sex with men and inject drugs	68	0	68	12 %
Heterosexual contact	58	80	138	24 %
Transfusion/Hemophilia	3	4	7	1 %
Perinatal	3	5	8	1 %
<b>Total</b>	470	113	583	100 %
<i>No Identified Risk</i>	131	65	196	

**Persons Newly Diagnosed with HIV/AIDS**

**Region 7: Shreveport Region**

**HIV CASES DIAGNOSED January - December 2008**

• 120 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	82	68 %	Black, Non-Hispanic	96	80 %
Women	38	32 %	White, Non-Hispanic	20	17 %
<b>Total</b>	<b>120</b>	<b>100 %</b>	Hispanic	3	2 %
			Unknown	1	1 %
			<b>Total</b>	<b>120</b>	<b>100 %</b>

<u>Age at Detection</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk:</u>	<b>Cases</b>	<b>Percent</b>
13 - 24	28	23 %	Men who have sex with men	32	60 %
25 - 34	35	29 %	Injection drug use	3	6 %
35 - 44	22	18 %	Men who have sex with men and inject drugs	1	2 %
45+	35	29 %	Heterosexual contact	17	32 %
<b>Total</b>	<b>120</b>	<b>100 %</b>	<b>Total</b>	<b>53</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>67</i>	

**AIDS CASES DIAGNOSED January - December 2008**

• 80 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	58	72 %	Black, Non-Hispanic	59	74 %
Women	22	28 %	White, Non-Hispanic	18	22 %
<b>Total</b>	<b>80</b>	<b>100 %</b>	Hispanic	2	2 %
			Multi-race	1	1 %
			<b>Total</b>	<b>80</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk:</u>	<b>Cases</b>	<b>Percent</b>
13 - 24	2	2 %	Men who have sex with men	28	60 %
25 - 34	24	30 %	Injection drug use	6	13 %
35 - 44	21	26 %	Men who have sex with men and inject drugs	1	2 %
45+	33	41 %	Heterosexual contact	11	23 %
<b>Total</b>	<b>80</b>	<b>100 %</b>	Perinatal	1	2 %
			<b>Total</b>	<b>47</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>33</i>	

**Persons Living with HIV/AIDS**

**Region 8: Monroe Region**

- **1,415** cumulative cases have been detected in Region 8, including **16** pediatric cases.
- **569** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **914** persons are currently living with HIV/AIDS in Region 8.  
 Persons living with HIV: **441**  
 Persons living with AIDS: **473**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	7	1 %	Black, Non-Hispanic	421	285	706	77 %
13 - 19	14	2 %	White, Non-Hispanic	143	44	187	20 %
20 - 24	37	4 %	Hispanic	8	3	11	1 %
25 - 29	96	11 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	121	13 %	American Indian	1	0	1	<1 %
35 - 39	120	13 %	Unknown	3	1	4	<1 %
40 - 44	132	14 %	Multi-race	0	3	3	<1 %
45 - 49	142	16 %	<b>Total</b>	578	336	914	100 %
50 - 54	122	13 %					
55 - 59	65	7 %					
60+	58	6 %					
<b>Total</b>	914	100 %					

Exposure Category

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	257	0	257	43 %
Injection drug use	43	32	75	13 %
Men who have sex with men and inject drugs	39	0	39	7 %
Heterosexual contact	58	145	203	34 %
Transfusion/Hemophilia	3	4	7	1 %
Perinatal	5	8	13	2 %
<b>Total</b>	405	189	594	100 %
<i>No Identified Risk</i>	173	147	320	

**Persons Living with AIDS****Region 8: Monroe Region**

- **905** cumulative AIDS cases have been diagnosed in Region 8, including **7** pediatric cases.
- **473** persons are currently living with AIDS in Region 8.

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	1	<1 %
13 - 19	1	<1 %
20 - 24	9	2 %
25 - 29	27	6 %
30 - 34	58	12 %
35 - 39	65	14 %
40 - 44	76	16 %
45 - 49	76	16 %
50 - 54	78	16 %
55 - 59	41	9 %
60+	41	9 %
<b>Total</b>	<b>473</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	232	122	354	75 %
White, Non-Hispanic	87	22	109	23 %
Hispanic	5	2	7	1 %
Asian/Pacific Islander	2	0	2	<1 %
Multi-race	0	1	1	<1 %
<b>Total</b>	<b>326</b>	<b>147</b>	<b>473</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	140	0	140	43 %
Injection drug use	25	21	46	14 %
Men who have sex with men and inject drugs	28	0	28	9 %
Heterosexual contact	36	70	106	33 %
Transfusion/Hemophilia	2	2	4	1 %
Perinatal	2	0	2	1 %
<b>Total</b>	<b>233</b>	<b>93</b>	<b>326</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>93</i>	<i>54</i>	<i>147</i>	

**Persons Newly Diagnosed with HIV/AIDS**

**Region 8: Monroe Region**

**HIV CASES DIAGNOSED January - December 2008**

• 57 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	40	70 %	Black, Non-Hispanic	47	82 %
Women	17	30 %	White, Non-Hispanic	6	11 %
<b>Total</b>	<b>57</b>	<b>100 %</b>	Hispanic	3	5 %
			Asian/Pacific Islander	1	2 %
			<b>Total</b>	<b>57</b>	<b>100 %</b>

<u>Age at Detection</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk:</u>	<b>Cases</b>	<b>Percent</b>
13 - 24	9	16 %	Men who have sex with men	26	74 %
25 - 34	21	37 %	Heterosexual contact	9	26 %
35 - 44	12	21 %	<b>Total</b>	<b>35</b>	<b>100 %</b>
45+	15	26 %	<i>No Identified Risk</i>	22	
<b>Total</b>	<b>57</b>	<b>100 %</b>			

**AIDS CASES DIAGNOSED January - December 2008**

• 43 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	27	63 %	Black, Non-Hispanic	31	72 %
Women	16	37 %	White, Non-Hispanic	9	21 %
<b>Total</b>	<b>43</b>	<b>100 %</b>	Hispanic	2	5 %
			Asian/Pacific Islander	1	2 %
			<b>Total</b>	<b>43</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk:</u>	<b>Cases</b>	<b>Percent</b>
13 - 24	2	5 %	Men who have sex with men	13	57 %
25 - 34	12	28 %	Injection drug use	3	13 %
35 - 44	16	37 %	Men who have sex with men and inject drugs	1	4 %
45+	13	30 %	Heterosexual contact	6	26 %
<b>Total</b>	<b>43</b>	<b>100 %</b>	<b>Total</b>	<b>23</b>	<b>100 %</b>
			<i>No Identified Risk</i>	20	

**Persons Living with HIV/AIDS  
Region 9: Hammond/Slidell Region**

- **1,235** cumulative cases have been detected in Region 9, including **14** pediatric cases.
- **506** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **905** persons are currently living with HIV/AIDS in Region 9.  
Persons living with HIV: **396**  
Persons living with AIDS: **509**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	7	1 %	Black, Non-Hispanic	290	146	436	48 %
13 - 19	4	<1 %	White, Non-Hispanic	352	88	440	49 %
20 - 24	30	3 %	Hispanic	18	2	20	2 %
25 - 29	55	6 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	81	9 %	American Indian	1	0	1	<1 %
35 - 39	132	15 %	Unknown	1	0	1	<1 %
40 - 44	157	17 %	Multi-race	6	0	6	1 %
45 - 49	177	20 %	<b>Total</b>	<b>669</b>	<b>236</b>	<b>905</b>	<b>100 %</b>
50 - 54	129	14 %					
55 - 59	73	8 %					
60+	60	7 %					
<b>Total</b>	<b>905</b>	<b>100 %</b>					

Exposure Category

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	328	0	328	52 %
Injection drug use	66	45	111	17 %
Men who have sex with men and inject drugs	47	0	47	7 %
Heterosexual contact	44	83	127	20 %
Transfusion/Hemophilia	7	0	7	1 %
Perinatal	10	6	16	3 %
<b>Total</b>	<b>502</b>	<b>134</b>	<b>636</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>167</i>	<i>102</i>	<i>269</i>	

**Persons Living with AIDS  
Region 9: Hammond/Slidell Region**

- **847** cumulative AIDS cases have been diagnosed in Region 9, including **6** pediatric cases.
- **509** persons are currently living with AIDS in Region 9.

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
13 - 19	1	<1 %
20 - 24	8	2 %
25 - 29	18	4 %
30 - 34	34	7 %
35 - 39	67	13 %
40 - 44	99	19 %
45 - 49	114	22 %
50 - 54	79	16 %
55 - 59	46	9 %
60+	43	8 %
<b>Total</b>	<b>509</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	168	68	236	46 %
White, Non-Hispanic	218	41	259	51 %
Hispanic	8	1	9	2 %
American Indian	1	0	1	<1 %
Multi-race	4	0	4	1 %
<b>Total</b>	<b>399</b>	<b>110</b>	<b>509</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	189	0	189	51 %
Injection drug use	50	26	76	20 %
Men who have sex with men and inject drugs	35	0	35	9 %
Heterosexual contact	23	40	63	17 %
Transfusion/Hemophilia	7	0	7	2 %
Perinatal	3	1	4	1 %
<b>Total</b>	<b>307</b>	<b>67</b>	<b>374</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>92</i>	<i>43</i>	<i>135</i>	

**Persons Newly Diagnosed with HIV/AIDS**

**Region 9: Hammond/Slidell Region**

**HIV CASES DIAGNOSED January - December 2008**

• 66 persons were newly diagnosed with HIV in Region 9.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	44	67 %	Black, Non-Hispanic	40	61 %
Women	22	33 %	White, Non-Hispanic	25	38 %
<b>Total</b>	<b>66</b>	<b>100 %</b>	Unknown	1	2 %
			<b>Total</b>	<b>66</b>	<b>100 %</b>

<u>Age at Detection</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk:</u>	<b>Cases</b>	<b>Percent</b>
0 - 12	1	2 %	Men who have sex with men	19	58 %
13 - 24	6	9 %	Injection drug use	3	9 %
25 - 34	19	29 %	Men who have sex with men and inject drugs	1	3 %
35 - 44	21	32 %	Heterosexual contact	9	27 %
45+	19	29 %	Perinatal	1	3 %
<b>Total</b>	<b>66</b>	<b>100 %</b>	<b>Total</b>	<b>33</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<b>33</b>	

**AIDS CASES DIAGNOSED January - December 2008**

• 43 persons were newly diagnosed with AIDS in Region 9.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	32	74 %	Black, Non-Hispanic	25	58 %
Women	11	26 %	White, Non-Hispanic	18	42 %
<b>Total</b>	<b>43</b>	<b>100 %</b>	<b>Total</b>	<b>43</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk:</u>	<b>Cases</b>	<b>Percent</b>
13 - 24	1	2 %	Men who have sex with men	13	59 %
25 - 34	11	26 %	Injection drug use	2	9 %
35 - 44	17	40 %	Men who have sex with men and inject drugs	2	9 %
45+	14	33 %	Heterosexual contact	4	18 %
<b>Total</b>	<b>43</b>	<b>100 %</b>	Transfusion/Hemophilia	1	5 %
			<b>Total</b>	<b>22</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<b>21</b>	